

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Sunday, September 02, 2007

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB; PLUR=YES; OP=AND</i>	
<input type="checkbox"/>	L5	(chlorinated polyethylene AND vinyl chloride AND polymethyl methacrylate OR acrylic resin AND specific viscosity).clm.	53
		<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L4	(525/239)![CCLS]	464
<input type="checkbox"/>	L3	(525/192)![CCLS]	801
<input type="checkbox"/>	L2	(525/227)![CCLS]	911
<input type="checkbox"/>	L1	(525/228)![CCLS]	295

END OF SEARCH HISTORY

S/N 10/553,733

FILE 'CAPLUS' ENTERED AT 15:35:01 ON 02 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'JAPIO' ENTERED AT 15:35:01 ON 02 SEP 2007
COPYRIGHT (C) 2007 Japanese Patent Office (JPO) - JAPIO

=> s jp 2002-241563/pn
L5 1 JP 2002-241563/PN

=> d 15 1 all

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN
AN 2002:637743 CAPLUS
DN 137:155623
ED Entered STN: 23 Aug 2002
TI Chlorinated vinyl chloride resin composition
IN Okuhara, Toshio; Suzuki, Takeyuki; Yamane, Kazumasa
PA Kaneka Corporation, Japan
SO PCT Int. Appl., 21 pp.
CODEN: PIXXD2
DT Patent
LA Japanese
IC ICM C08L027-24
CC 37-6 (Plastics Manufacture and Processing)
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002064675	A1	20020822	WO 2002-JP630	20020129
	W: CA, DE, US				
	JP 2002241563	A	20020828	JP 2001-39868	20010216 <--
PRAI	JP 2001-39868	A	20010216		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 2002064675	ICM	C08L027-24
	IPCI	C08L0027-24 [ICM,7]; C08L0027-00 [ICM,7,C*]
	IPCR	C08L0023-00 [N,C*]; C08L0023-08 [N,A]; C08L0023-28 [N,A]; C08L0027-00 [I,C*]; C08L0027-24 [I,A]; C08L0051-00 [N,C*]; C08L0051-04 [N,A]
	ECLA	C08L027/24+B
JP 2002241563	IPCI	C08L0027-24 [ICM,7]; C08L0027-24 [ICS,7]; C08L0027-00 [ICS,7,C*]; C08L0051-04 [ICS,7]; C08L0051-00 [ICS,7,C*]; C08L0023-28 [ICS,7]; C08L0023-08 [ICS,7]; C08L0023-00 [ICS,7,C*]
	IPCR	C08L0023-00 [N,C*]; C08L0023-08 [N,A]; C08L0023-28 [N,A]; C08L0027-00 [I,C*]; C08L0027-24 [I,A]; C08L0051-00 [N,C*]; C08L0051-04 [N,A]

AB The invention provides a chlorinated vinyl chloride resin composition which is excellent in heat resistance and chemical resistance and is little impaired in the impact resistance. This composition comprises chlorinated vinyl chloride resin having 62-70% chlorine content 100, Me methacrylate-butadiene-styrene resin 3-12, chlorinated polyethylene 1-5, and ethylene-vinyl acetate copolymer 1-5 parts.

ST chlorinated vinyl chloride resin compn

IT Heat-resistant materials

Impact-resistant materials

(chemical resistant; chlorinated vinyl chloride resin composition)

IT Chlorinated polyethylene rubber

RL: POF (Polymer in formulation); TEM (Technical or engineered material use); USES (Uses)

(chlorinated vinyl chloride resin composition)

S/N 10/553,733

IT Polymer blends
RL: TEM (Technical or engineered material use); USES (Uses)
(chlorinated vinyl chloride resin composition)
IT Chemically resistant materials
Impact-resistant materials
(heat-resistant; chlorinated vinyl chloride resin composition)
IT Chemically resistant materials
Heat-resistant materials
(impact-resistant; chlorinated vinyl chloride resin composition)
IT 9002-88-4D, chlorinated
RL: POF (Polymer in formulation); TEM (Technical or engineered material use); USES (Uses)
(chlorinated polyethylene rubber, chlorinated vinyl chloride resin composition)
IT 9002-86-2D, Polyvinyl chloride, chlorinated 24937-78-8, Ethylene-vinyl acetate copolymer 107592-06-3, B 22
RL: POF (Polymer in formulation); TEM (Technical or engineered material use); USES (Uses)
(chlorinated vinyl chloride resin composition)

RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Kaneka Corp; GB 1235403 A 1975 CAPLUS
- (2) Kaneka Corp; JP 50033094 B1 1975 CAPLUS
- (3) Kaneka Corp; JP 11181205 A 1999 CAPLUS
- (4) Kaneka Corp; EP 926194 A1 1999 CAPLUS
- (5) Kaneka Corp; EP 1000966 A1 2000 CAPLUS
- (6) Kaneka Corp; JP 2000204215 A 2000 CAPLUS
- (7) Kureha Chemical Industry Co Ltd; GB 1550478 A 1976 CAPLUS
- (8) Kureha Chemical Industry Co Ltd; JP 51138740 A 1976 CAPLUS
- (9) Nippon Carbide Industries Co Ltd; JP 63251449 A 1988 CAPLUS
- (10) Sekisui Chemical Co Ltd; JP 54141837 A 1979 CAPLUS
- (11) Sekisui Chemical Co Ltd; JP 08113685 A 1996 CAPLUS
- (12) Tokuyama Sekisui Kogyo K K; JP 55164240 A 1980 CAPLUS

=> FIL STNGUIDE

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	7.13	21.74
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-0.78	-0.78

FILE 'STNGUIDE' ENTERED AT 15:35:28 ON 02 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Aug 31, 2007 (20070831/UP).

=>

=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	1.80	23.54
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-0.78

STN INTERNATIONAL LOGOFF AT 15:53:37 ON 02 SEP 2007